

INDEX MAPS.

T.9N R.8W 2nd Mer.

| | 121-124 | 121-123 | 121-123 | 122-123 | 122 | 122 | | | | | | |
|-----|---------|---------|---------|---------|---------|---------|-----|-----|-----|-----|-----|-----|
| 125 | 6 | 145 | 5 | 140 | 4 | 137 | 3 | 133 | 2 | 129 | 1 | 121 |
| | 145 | | 144 | | 140 | | 136 | | 132 | | 129 | |
| 125 | 7 | 144 | 8 | 139 | 9 | 136 | 10 | 132 | 11 | 128 | 12 | 120 |
| | 144 | | 144 | | 139 | | 136 | | 132 | | 128 | |
| 125 | 18 | 143 | 17 | 139 | 16 | 135 | 15 | 131 | 14 | 128 | 13 | 120 |
| | 143 | | 143 | | 138 | | 135 | | 131 | | 127 | |
| 124 | 19 | 142 | 20 | 138 | 21 | 134 | 22 | 131 | 23 | 127 | 24 | 120 |
| | 142 | | 142 | | 138 | | 134 | | 130 | | 127 | |
| 124 | 30 | 141 | 29 | 137 | 28 | 134 | 27 | 130 | 26 | 126 | 25 | 120 |
| | 141 | | 141 | | 137 | | 134 | | 130 | | 126 | |
| 124 | 31 | 140 | 32 | 137 | 33 | 133 | 34 | 130 | 35 | 126 | 36 | 119 |
| | 117-119 | 117-119 | 117-118 | 117-118 | 117-118 | 117-118 | 118 | | | | | |

T.10N R.8W 2nd Mer.

| | 151-153 | 151-153 | 151-153 | 151-153 | 152 | 152 | | | | | | |
|-----|---------|---------|---------|---------|---------|-----|-----|-----|-----|-----|-----|-----|
| 155 | 6 | 172 | 5 | 167 | 4 | 164 | 3 | 161 | 2 | 158 | 1 | 151 |
| | 172 | | 171 | | 167 | | 164 | | 161 | | 157 | |
| 155 | 7 | 171 | 8 | 167 | 9 | 164 | 10 | 160 | 11 | 157 | 12 | 150 |
| | 171 | | 170 | | 167 | | 163 | | 160 | | 157 | |
| 154 | 18 | 170 | 17 | 166 | 16 | 163 | 15 | 160 | 14 | 157 | 13 | 150 |
| | 170 | | 169 | | 166 | | 163 | | 159 | | 157 | |
| 154 | 19 | 169 | 20 | 166 | 21 | 162 | 22 | 159 | 23 | 156 | 24 | 150 |
| | 169 | | 169 | | 165 | | 162 | | 159 | | 156 | |
| 154 | 30 | 168 | 29 | 165 | 28 | 162 | 27 | 159 | 26 | 156 | 25 | 150 |
| | 168 | | 168 | | 165 | | 161 | | 158 | | 156 | |
| 154 | 31 | 168 | 32 | 164 | 33 | 161 | 34 | 158 | 35 | 155 | 36 | 150 |
| | 147-149 | 147-149 | 147-149 | 147-148 | 147-148 | 148 | | | | | | |

(F) The figures on the lines refer to the page.

147

Township N. 10. North of Range N. 8 West of the 2nd Mer Indiana
Ch. 149.

South Boundary

r to 40' m

| | |
|-------|---|
| East | On a Random line On the South Boundary of sec. 31. T. 10. N. R. 8 th W. |
| 40.00 | Set a trap 7 th in sup post. |
| 80.00 | Set a " post for the cor of sec. 31 & 32 Land level and thin with Oak & Hickory post spruce and not very good for farming |
| East | On a Random line On the South Boundary of sec. 32. T. 10. N. R. 8 th W. |
| 11.05 | To a Brook 10 th mile, corner S. E. |
| 31.00 | " " " " " " |
| 40.00 | Set a trap 7 th in sup post |
| 80.00 | To a small brook corner S. Set a trap 7 th post for the cor of sec. 32 & 33. Land rolling a little; & good for wheat Timber (Oak & Hickory). |
| East | On a Random line On the South Boundary of sec. 33. T. 10. N. R. 8 th W. |
| 27.50 | To a Brook 20 th mile, corner S. |
| 40.00 | Set a trap 7 th in sup post |
| 64.00 | To a Brook 12 th mile, corner S. |
| 80.00 | Set a trap 7 th in sup post for the cor of sec. 33 & 34 Land same as last mile |
| East | On a Random line On the South Boundary of sec. 34. T. 10. N. R. 8 th W. |
| 20.00 | Enter a prairie |
| 40.00 | Set a trap 7 th in sup post |
| 55.00 | Crossed the prairie; (To a Brook 12 th mile, &) |
| 80.00 | To a Brook 12 th mile, corner S. |
| 80.00 | Set a trap 7 th post for the cor of sec. 34 & 35 Land same excepting the prairie which is not as good |
| East | On a Random line On the South Boundary of sec. 35. T. 10. N. R. 8 th W. |

T. N. 10. S. R. N. 87W 2nd Mer. Sur.

40.00 Set a temp. post in supst.
 80.00 Set a temp. post for the cor of sec. 35 & 36.
 Gauge hole and third pole; Timber Oak & Hickory

East On the Kansas line On the South Boundary of sec. 36.
 T. 10 N. R. 87W

40.00 Set a temp. post in supst.
 75.00 Set out the Range line 100 links North of the cor to
 T. 9 N. R. 87W
 Lined same as last mile.

West On the Iowa line On the South Boundary of sec. 35
 T. 10 N. R. 87W v. 640. NW. Apr 16. 1811

40.00 Set the temp. post in supst on the Iowa line from which
 27 in air: bears. S 79 E. 21 the dist. to
 W Oak. 15 " " " S 32 W. 58 " "

74.00 To a Bore. 10 the side, become S
 80.00 Set a temp. post on the Iowa line for the cor of sec. 35 & 34
 from which W Oak. 13 in air: bears. S 16 W. 36 the dist.
 made a Do. 12 " " " S 21 E. 22 " "

West On the Iowa line On the South Boundary of sec. 36.
 T. 10 N. R. 87W.

40.00 Set the temp. post in supst on the Iowa line from which
 Hickory 10 in air: bears. S 51 E. 21 the dist. to
 W Oak. 15 " " " S 59 W. 63 " "

80.00 Set a temp. post on the Iowa line for the cor of sec. 35 & 36.
 from which Hickory 18 in air: bears. S 15 E. 82 the dist.
 made a Do. 15 " " " S 67 E. 121 " "

West On the Iowa line On the South Boundary of sec. 34
 T. 10 N. R. 87W

40.00 Set the temp. post in supst on the Iowa line from which
 B Oak. 6 in air: bears. S 15 1/2 E. 105 the dist. to
 Do. 6 " " " S 30 W. 108 " "

80.00 Set the temp. post on the Iowa line for the cor of sec. 35 & 34.

T. N. 10 N. R. N. 8 W. 2nd Mer. Sur.

149

from which N Oak. 12 in diam. bears S 8 E. 17 the dist. 74
W. Oak 15 " " " N 8 W 32 " "

| | |
|-------|--|
| West | On the true line between Sec. 4 & 33 & South Boundary of Sec. 33. T. 10 N. R. 8 W. |
| 15.00 | To a Brook 12 the side, corner S. |
| 40.00 | Set a 7th Sec. temp. post on the true line from which, N. Oak 9 in diam. bears S 8 E. 6 the dist. 74, S. Oak 19 " " " N 43 E. 36 " " |
| 48.50 | To a Brook 12 the side, corner S. |
| 73.50 | " " Do 6 " " " " " |
| 80.00 | Set the temp. post on the true line for the cor. of Sec. 32 & 33 from which, N. Oak 9 in diam. bears N 3 1/2 E. 62 the dist. and a W Oak. 10 " " " S 29 E. 14 " " |
| West | On the true line On the South Boundary of Sec. 32 T. 10 N. R. 8 W. |
| 40.00 | Set the temp. post on the true line from which a W Oak. 12 in diam. bears N 25 E. 76 the dist. 74, W. Oak. 26 " " " S 29 1/2 W. 57 " " |
| 45.00 | To a Brook 6 the side, corner S. |
| 61.00 | " " Do. 8 " " " " S E. |
| 80.00 | Set the temp. post on the true line for the cor. of Sec. 31 & 32 from which, W Oak. 24 in diam. bears N 9 W. 46 the dist. and a Hick 10 " " " S 51 E. 57 " " |
| West | On the true line On the South Boundary of Sec. 31 T. 10 N. R. 8 W. |
| 40.00 | Set the temp. post on the true line from which, N. Oak 10 in diam. bears N 82 E. 12 the dist. 74, Do. 12 " " " N 32 1/2 E. 62 " " |
| 75.00 | Set a post for the cor. of S. 9 & 10. N. R. 8 & 9 W. 106 the South of the Random Post from which, W Oak 18 in diam. bears N 71 E. 14 the dist. 74, Hick 11 " " " S 1 W. 40 " " |

T. No 10. N.R. No 8 W 2nd (Mer. Ind.)

East Boundary r. 6° 40'

North On the East Boundary of sec. 36. T. 10. N.R. 8 W.
 40.00 Set a 7th support from which
 99 Oak 27 in dia. trunk 64 W. 22 the arch, &
 Elev. 15 " " " N 27 W 40 " "
 80.00 Set a post for the cor of sec. 25 T 36. from which
 Hickory 12 in dia. trunk. South 22 the arch, &
 Elev. 10 " " " N 76 W 36 " "
 Land wood Timber Oak & Hickory making good
 wheat land

North On the East Boundary of sec. 25 T 10 N.R. 8 W
 5.00 Enter a prairie.
 40.00 Set a 7th support in prairie no bearing true.
 80.00 Set a post for the cor of sec. 24 & 25. in prairie
 Land wood and not prairie. 3rd rate.

North On the East Boundary of sec. 24. T. 10 N.R. 8 W
 40.00 Set a 7th support in prairie No bearing true
 80.00 Set a post for the cor of sec. 13 & 24. in prairie
 no bearing true
 Land wood and not prairie 3rd rate.

North On the East Boundary of sec. 13. T. 10 N.R. 8 W
 40.00 Set the 7th support in prairie no bearing true.
 80.00 Set a post for the cor of sec. 12 & 13. in prairie
 Land wood and not 3rd rate; prairie.

North On the East Boundary of sec. 12. T. 10 N.R. 8 W
 40.00 Set a 7th support in prairie No bearing true
 40.00 To a Brook 20 lbs sur, course N. W.
 57.78 To a Hickory 30 in dia. trunk with the river. Crooked Prairie
 75.00 Enter the same prairie
 80.00 Set a post for the cor of sec. 1 & 12 from which a
 99 Oak 20 in dia. trunk N 15 W. N 7.65 the arch, &
 Elev. 20 " " " S 14 W 59 " "

151

T. N. 10. N. R. N. 8 W. 2nd Mer. Sec.

Under same aspect note.

| | |
|-------|--|
| North | Out to East Boundary of sec. 1. T. 10. N. R. 8 W. |
| 29.50 | Set a B Oak 14 in dia in the line. |
| 40.00 | Set a 1/2 sapling in prairie; no bearing tree |
| 80.00 | Set a temp. post for the cor of T. 10 & 11. N. R. 7 & 8 W. |
| | Found 3rd rate prairie wood and not. |
| 81.25 | Set a post for the above mentioned corner from which Healy 11 in dia bears N 37 W. 11 the inch, & a W Oak 30, " " S 59 E. 12 1/2 " " |

| | |
|--------------------------|--|
| North Boundary r. 6' 40' | |
| East | On a Random line Out to South Boundary of sec. 31. T. 11. N. R. 8 W. April 22 nd 1811. |
| 18.50 | Set a Post. 15 the inch. corner N. E. |
| 40.00 | Set a temp. 1/2 sapling |
| 45.50 | Set a Post. 10 the inch. corner N. E. |
| 80.00 | Set a temp. post for the cor of sec. 31 & 32 from which the 1st 1/2 mile nothing is broken last 1/2 line 3rd rate Sinter Oak & Healy |

| | |
|-------|---|
| East | On a Random line Out to South Boundary of sec. 32. T. 11. N. R. 8 W. |
| 10.00 | Enter a prairie |
| 40.00 | Set the temp. 1/2 sapling post |
| 40.00 | Crossed the prairie. |
| 80.00 | Set the temp. post cor of sec. 32 & 33 |

| | |
|-------|---|
| East | On a Random line Out to South Boundary of sec. 32 |
| 40.00 | Set a temp. 1/2 sapling |
| 80.00 | " " post cor of sec. 32 & 33. Found line not 3rd rate; thorny timber with Oak & Healy |

| | |
|-------|---|
| East | On a Random line Out to South Boundary of sec. 34 |
| 40.00 | Set a temp. 1/2 sapling. |

T. N. 10. N. R. N. 872nd Mer. Sud^r

45.00 Enter a prairie
 80.00 Crossed the prairie Set the temp^r post for the cor of cor.
 34 & 35. Land wet & 3rd rate; thickly timbered with
 Oak & Hickory

East On a Random line between Secs 2 & 35. & Cor. S.
 Boundary of la. 35. T. 11. N. R. 877

5.00 Enter a prairie
 40.00 Set a temp^r post in a post
 51.00 To a Brook, black, mud, comes N.W.
 55.00 Crossed the prairie
 80.00 Set the temp^r post for the cor of cor. 35 & 36.
 Land same 3rd rate.

East On a Random line On the South Boundary of la. 36.
 T. 11. N. R. 877

40.00 Set the temp^r post in a post
 75.28 Entered the Range line 24 1/2 lbs. South of the temp^r
 Iron cor. Set post for the cor of T. 10 & 11. N. R. 878
 W. 12 1/2 lbs. South of the intersection of the Random
 Land 3rd rate not much timber

West On the New line On the South Boundary of la. 36.
 T. 11. N. R. 877. April 23rd 1871. W. 6° 40'

40.00 Set a post for temp^r post on the new line from which
 43. Oak 18 in diam. base. 455 77.15 the dist. & a
 24 " " " 965 6.55 " "
 80.00 Set a temp^r post for the cor of cor. 35 & 36. on the new line
 from which Hickory 14 in diam. base 147 6.39 the dist.
 under 14 " " 433 6.51 " "

West On the New line On the South Boundary of la. 35.
 T. 11. N. R. 877.

40.00 Set the temp^r post in a post on the new line (from which)
 No bearing true
 80.00 Set a post temp^r for the cor of cor. 34 & 35 on the new line

J. N. 10. N. 10. N. 8 W 2nd (Mm. Sud.)

from which Height 7 in air. bars. N 21 $\frac{1}{2}$ W. 230 lbs each
made a Do. 18 " " " N 10 E. 330 " "

West On the line On the South Boundary of sec. 34
J. 11. N. 8 W

40.00 Set a temp. 7th sap post on the line from which
W Oak. 20 in air. bars. S 83 $\frac{1}{2}$ W. 78 lbs each; 7 a,
Height 10 " " " S 18 $\frac{1}{2}$ E. 81 " "

80.00 Set a post temp. 7th for the cor of sec. 34 & 33 from which a
P Oak. 10 in air. bars. N 70 E. 176 lbs each; 7 a,
Do. 13 " " " N 23 $\frac{1}{2}$ E. 572 " "

West On the line On the South Boundary of sec. 33.
J. 11. N. 8 W.

40.00 Set the temp. 7th sap post on the line from which
Height 12 in air. bars. N 11 W 400 lbs each;

80.00 Set a post (temp. 1) on the line for the cor of sec. 32 & 33
from which, — 14 in air. bars. N 53 $\frac{1}{2}$ E. 39 lbs each
made a Height 9 " " " S 45 W. 47 " "

West On the line On the South Boundary of sec. 32.
J. 11. N. 8 W.

40.00 Set the temp. 7th sap post on the line from which
Height 8 in air. bars. N 56 E. 120 lbs each; 7 a,
Do. 9 " " " S 45 $\frac{1}{2}$ E. 4 " "

80.00 Set the temp. 7th post on the line for the cor of sec. 31 & 32
from which, W Oak. 12 in air. bars. N 32 $\frac{1}{2}$ E. 27 lbs each
made a Do. 11 " " " N 84 W. 35 " "

West On the line On the South Boundary of sec. 31. J. 11. N. 8 W

40.00 Set the temp. 7th sap post at the line from which
P Oak. 12 in air. bars. N 13 W. 23 lbs each; 7 a,
W Oak. 27 " " " S 29 E. 44 " "

75.28 Set a post for the cor of J. 10 & 11. N. 8 W 123 lbs
South of the intersection of the Roadway. from which
W Oak. 18 in air. bars. N 11 W 39 lbs each; 7 a

I. N. 10. N. R. N. 872nd M. Jan.

W Oak 11 in clear brush. S. 44 E. 125 the creek.

West Boundary. N. 64° 40' W.

North On the East Boundary of sec. 36 T. 10. N. R. 9 W
23.50 To a point 8 M. N. W. corner S. W.
40.00 Set a 7th report from which
W Oak 11 in clear brush. S. 48 N. 11 the creek; 7 a,
No 11 " " " N 61 E. 34,
81.00 Set a post for the corner of sec. 25 & 36. from which
W Oak 16 in clear brush. S. 82 E. 13 the creek; 7 a,
B. Oak 18 " " " S. 1 W. 81, " "
Land level and rather wet. 3rd rate; Jan. in Oak &
Heik.

North On the East Boundary of sec. 25 T. 10. N. R. 8 W
10.00 To a point 8 M. N. W. corner S. W.
40.00 Set a 7th report from which
Heik 14 in clear brush. S. 3 E. 34 the creek; 7 a,
W Oak 20 " " " N 40 W. 12, "
70.00 Enter a prairie
80.00 Set a post for the corner of sec. 24 & 25. from which
Heik 10 in clear brush. S. 85 E. 694 the creek;
Land nearly the same prairie with 3rd rate

North On the East Boundary of sec. 24 T. 10 N. R. 9 W
40.00 Set a 7th report from which
W Oak 27 in clear brush. N 21 W. E. 235 the creek; 7 a,
J Oak 14 " " " S. 8 E. 441 " "
70.00 Crossed the prairie
80.00 Set a post for the corner of sec. 23 & 24 from which
W Oak 30 in clear brush. S. 39 W. 35 the creek; 7 a,
B. Oak 15 " " " N 61 E. 57, "
Land 3rd rate.

North On the East Boundary of sec. 13 T. 10 N. R. 9 W
25.00 Enter a prairie.

T. N. 10. N. R. N. 8th 2nd M. J. d.

- 40.00 Set a 7th en post from which in prairie
W Oak 12 in diam. beam. S 61st E. 62nd the rest, & a,
Keweenaw 12th " " " S 36th E. 60th " "
- 80.00 Set a post for the cor. of sec. 12 & 13 in a prairie. from
which Keweenaw 8 in diam. beam. N 34th E. 47th the rest
and a No. 7th " " " N 65th E. 62nd "
Prairie land cut into 3rd rate.

- North Out to East Boundary sec. 12 T. 10 N. R. 8 W
- 40.00 Set a 7th en post from which
W Oak 11 in diam. beam. S 46th W 24 the rest, & a,
Keweenaw 12th " " " S 66th E. 61st "
- 80.00 Set a post for the cor. of sec. 12 & 13 from which
Keweenaw 10 in diam. beam. N 82nd W 54 the rest, & a,
W Oak 15th " " " S 79th E. 93rd "
Land land Timber Oak & Keweenaw. Good Wheat land

- North Out to East Boundary sec. 1. T. 10 N. R. 8 W
- 20.00 To go to work on the mine, between N. E.
- 40.00 Set a 7th en post from which
Oak 9 in diam. beam. N 60th E. 62nd the rest, & a,
W Oak 14th " " " N 47th W 38th "
- 80.00 Set a 7th en post for the cor. of T. 10 & 11 N. R. 8 W
Said 1st 7th mile same; East 7th rather out & broken.
Timber same.

Subdivisions

- North Return Sec. 25 & 36 T. 10 N. R. 8 W
- 40.00 Set a 7th en post from which
Keweenaw 12 in diam. beam. N 86th E. 44 the rest, & a,
W Oak 20 " " " N 33rd W 112th "
- 80.00 Set a post for the cor. of sec. 25, 26 & 35 & 36 from which
W Oak 27 in diam. beam. N 72nd E. 100 the rest; & a,
Keweenaw 8 " " " S 82nd W 38th "
Land part barrens and part prairie 3rd rate.

9a

T. N. 10. N.R. N. 8 W 2nd M. Land:

East On a Mancum line between Lat. 25 & 26. T. 10 N. R. 8 W.
 40.00 Set a trap 7 ft. support
 80.00 Set the East Boundary at the post on of Lat. 25 & 26
 Sand hole Timber Oak & Hickory

West On the line between Lat. 25 & 26. T. 10 N. R. 8 W.
 40.00 Set the trap 7 ft. support at the ar ditch on the line
 from which a Elm 8 in diam. bears N 52 W 35 the ditch
 bears on W Oak 15 " " " N 5 E 11 " "
 80.00 To the post on of Lat. 25 & 26. 35 & 26

North Between Lat. 25 & 26. T. 10 N. R. 8 W.
 35.00 Eget a prairie
 40.00 Set a 7 ft. support from which
 a Oak 27 in diam. bears N 74 W 63 the ditch;
 45.00 Pass a prairie
 80.00 Set a post for the cor of Lat. 23, 24 & 25 from which
 a Hickory 18 in diam. bears S 10 E 49 the ditch; a
 Do 8 " " " N 28 E 57 " "
 Sand hole Timber Oak & Hickory.

East On a Mancum line between Lat. 24 & 25 T. 10 N. R. 8 W.
 40.00 Set a trap 7 ft. support
 50.00 Eget a prairie
 80.00 Set the East E. Range & line. no corner to be found
 Sand hole & 3rd rate.

West On the line between Lat. 24 & 25. T. 10 N. R. 8 W.
 40.00 Set the trap 7 ft. support at the ar ditch on the line
 from which a Hickory 12 in diam. bears N 82 W 12 the ditch
 and a Do. 18 " " " N 7 E 38 " "
 80.00 To the post on of Lat. 23, 24, 25 & 26.

North Between Lat. 23 & 24 T. 10 N. R. 8 W.
 40.00 Set a 7 ft. support from which
 a Hickory 12 in diam. bears N 68 W 19 the ditch; a

T. N. 10. N.R. N. 87W 2nd M. S. 157

| | |
|-------|--|
| | <p>Neat 12 in dist. from SNE 69 the dist.</p> <p>60.00 Enter a prairie</p> <p>8000 Set a post in prairie for the cor of lat. 13 14.23 74</p> <p>No bearing to be. Same 3rd rate.</p> |
| East | <p>On a Random line between lat. 13 14.23 74 T. 10 N. R. 87W</p> <p>North 28. 18 15. V. 6° 50'</p> <p>40.00 Set a trip. 7th to post in prairie</p> <p>8000 Set a post East from N. 7. Corner not found.</p> <p>Same level prairie 2nd rate.</p> |
| West | <p>On the true line between lat. 13 14.23 74 T. 10 N. R. 87W</p> <p>Not corrected.</p> |
| North | <p>Between lat 13 14.23 74 T. 10 N. R. 87W V. 6° 50'</p> <p>40.00 Set a trip. 7th to post</p> <p>8000 Set a post for the cor of lat. 11. 12. 13 14 in prairie</p> <p>At mt. Prairie.</p> |
| East | <p>On a Random line between lat. 12 13 T. 11 N. R. 87W.</p> <p>40.00 Set a 7th to post in prairie. V. 6° 50'</p> <p>8000 East from N. 7. Cor of lat. 12 13. Post not found.</p> |
| North | <p>Between lat 11 12 T. 10. N. R. 87W</p> <p>40.00 No 7th to post set. V. 6° 50'</p> <p>8000 Set a post for the cor of lat. 12 11. 12 12 from which</p> <p>Neat 18 in dist. from S 19 N. 49 the dist. Va,</p> <p>12 11 " " N 65 E 90 " "</p> <p>Same level prairie 2nd rate. Soil.</p> |
| East | <p>On a Random line between lat. 1 77 T. 10 N. R. 87W.</p> <p>40.00 Set a trip. 7th to post in prairie. V. 6° 50'.</p> <p>80 72 Into lat the East from N. 7 55 the North of the post.</p> <p>Cor of lat. 1 77</p> |
| West | <p>On the true line between lat. 1 77 T. 10. N. R. 87W</p> |

T. N. 10. N. 8 W 2nd Mer. Ind.

40.36 Set the trap in sap at the av. arch on the line
(from whike) cor in prairie
81.72 To the post on of cor. 1. 2. 11. + 12

North Between lat. 1 + 2 T. 10. N. 8 W. V. 6° 25'

40.00 Leave prairie.

40.00 Set a 7th sap at from whike
W. Oak 40 in av. line. N 64 W. 24 the arch; to
N 18 " " " N 86 E. — " "

42.00 To prairie.

81.05 Enter lat. the North Branch N. 7 9th (West of the post on
of cor. 35 + 36 T. 11. N. 8 W. and set apart for the "
" 1 + 2 from whike
N 18 in av. line. N 40 E. 57 the arch; to
109. 24 " " " N 65 E. 45 " "
Lands 2nd rate.

South On a line between lat. 34 + 35 T. 10. N. 8 W.

40.00 Set a trap in sap at Nov. 29. 1815

50.00 Crossed the prairie

81.27 Enter lat. the South Branch N. 7 36th (West of the post
cor. of lat. 34 + 35.

Lands wood and 2nd rate. Timber Oak & Hickory

North On the line between lat. 34 + 35 T. 10. N. 8 W.

40.65 Set the trap in sap at the av. arch on the line
from whike N 18 in av. line. N 87 E. 289 the arch

81.27 To the post on of lat. 26. 27. 34 + 35.

West Between lat. 26 + 35 T. 10. N. 8 W.

40.00 Set the 7th sap at from whike

N 18 in av. line. N 70 E 76 the arch; to
Do 10 " " " N 54 W 38 "

80.00 Enter a prairie.

80.00 Set apart for the cor. of lat. 26. 27. 34 + 35. in prairie
Meaning to be

159

T. N. 10. N. R. N. 8. W. Q. and M. S. and

Land 3rd rate Timber Oak & Hickory

| | |
|-------|---|
| North | Between Lat. 26 & 27 J. 10. N. R. 8. W. V. 7° 00' |
| 4000 | Set a p. support in prairie. |
| | No bearing trees. |
| 70.00 | Crossed the prairie |
| 80.00 | Set apart for the cor. of lat. 22, 23, 26 & 27 from which T. Oak 30 in diam. trees. 849 E. 51 bears north; & a, Do. 30 " " " 847 N. 74 " " |
| | Land 3rd rate prairie. |
| East | Cap. R. and M. line between Lat. 23 & 26 J. 10. N. R. 8. W. |
| 4000 | Set a temp. p. support. H. cor. 8° 50' |
| 79.47 | Intersect the N. & S. line 2 mi. South of the post cor. of lat. 23, 24, 25 & 26. |
| | Land 2nd rate Timber Oak & Hickory. |
| West | Cap. R. and M. line between Lat. 23 & 26 J. 10. N. R. 8. W. |
| 39.73 | Set the temp. p. support at the ar. dist. on the line from which T. Oak 24 in diam. trees. N. 47 N. 27 the dist. under a W. Oak. 18 " " " 948 E. 26 " " |
| 79.47 | To the post cor. of lat. 22, 23, 26 & 27. |
| North | Between Lat. 22 & 23 J. 10. N. R. 8. W. V. 7° 00' |
| 30.00 | Crossed prairie. |
| 40.00 | Set a p. support from which Hickory 12 in diam. trees. 861 E. 306 the ar. |
| 50.00 | Crossed the prairie |
| 80.00 | Set apart cor. of lat. 14, 15, 22 & 23 from which T. Oak. 9 in diam. trees. 844 E. 001 the ar. dist; & a, Do. 12 " " " 864 E. 110 " " |
| | Land 3rd rate. |
| East | Cap. R. and M. line between Lat. 14 & 23 J. 10. N. R. 8. W. |
| 40.00 | Set a temp. p. support |
| 79.91 | Intersect the N. & S. line 14 mi. South of the post cor. of |

T. N. 10. N. R. N. 87W 2nd Mer. Land.

Aug. 12. 14. 22 & 23
 Leave out prairie

West On a true line between Sec. 14 & 23 T. 10. N. R. 87W
 39.65 Set the temp. post at the av. dist. on the true line for the
 cor of 1/4 Sec.
 79.31 To the post cor of Sec. 14. 15. 22 & 23.

North Between Sec. 14 & 15 T. 10. N. R. 87W. N. to 50' N. line
 35.00 Enter a prairie.
 40.00 Set a temp. post 1/4 to post in prairie.
 80.30 Enter out the E 87W line. 17th West of the post cor.
 of Sec. 11. 11. 14 & 15.
 Leave 2nd sec.

South On a true line between Sec. 14 & 13 T. 10. N. R. 87W
 40.65 Set the temp. post 1/4 to post at the av. dist. on the true line
 80.30 To the post cor of Sec. 14 15 22 & 23.

East On a true line between Sec. 11 & 14 T. 10. N. R. 87W
 15.00 Enter a prairie. N. to 50'
 40.00 Set a temp. post 1/4 to post in prairie.
 79.52 Enter out the N 87W line 12th North of the post cor of Sec.
 11. 12. 13 & 14

West On a true line between Sec. 11 & 14 T. 10. N. R. 87W
 39.76 Set the temp. post 1/4 to post at the av. dist. on the true line.
 in prairie
 79.52 To the post cor of Sec. 10. 11. 14 & 15.

South On a ~~Random~~ line between Sec. 10 & 11. T. 10. N. R. 87W
 40.00 Set a 1/4 to post in prairie
 65.00 Leave prairie
 80.00 Set a post cor of Sec. 10. 11. 14 & 15 from which a
 N Oak 36 in diam. grows. S 71 W 45 the road.

161

T. N. 10 N. R. N. 8 W. Q. M. S. S. S.

West Return lat. 241 T. 10. N. R. 8 W.
 40.00 Set a 7th to post in prairie.
 45.00 Leave prairie
 70.00 To a prairie.
 80.00 Set a post for the cor of sec. 2, 3, 10 & 11
 Land 2nd rate.

North Return lat. 243 T. 10. N. R. 8 W. to 6.20.
 40.00 Set a 7th to post in prairie
 80.96 Intersect the E & W line or N. R. 8 W. 17th the East of
 the post cor of sec. 34 & 35. T. 11. N. R. 8 W. and set a post
 cor of sec. 2 & 3 from which
 N. R. 12 in sec. 10. N. R. 8 W. E 30 the dist; to
 No. 8 " " " N. R. 242 " "
 Land 2nd rate. not prairie

South On a random line between lat. 33 & 34 T. 10. N. R. 8 W.
 40.00 Set a 7th to post. " 4 00'.
 56.00 To a brook. 12th the sec. 10, N. R. 8 W.
 80.70 Intersect the South R. 8 W. 12th the East of the post
 cor of sec. 33 & 34.
 Land 2nd rate; Timber N. Oak 1.

North On the same line between lat. 33 & 34 T. 10. N. R. 8 W.
 40.45 Set a 7th to post on the same line at the av. dist
 from which N. Oak. 24 in sec. 10. N. R. 8 W. 40 the dist;
 made a No. 30 " " " N. R. 249 " "
 80.90 To the post cor of sec. 2, 7, 28 33 & 34

East Return lat. 27 B4 T. 10. N. R. 8 W. Nov. 29. 1915
 25.00 Leave prairie
 40.00 Set a 7th to post from which
 N. R. 10 in sec. 10. N. R. 8 W. E 29 the dist; to
 No. 10 " " " N. R. 20 " "
 80.00 Set a post for the cor of sec. 2, 7, 28 33 & 34 from which
 N. Oak. 40 in sec. 10. N. R. 8 W. 57 the dist; to

T. N. 10. N. R. N. 8. 7. 2nd M. S. S. S.

W Oak 36 in deer. hms. N 46 W 93 the dist.
Land 2nd date for farming.

With Return for 27 128 T. 10. N. R. 8. 7. 2nd M. S. S.
40.00 Set a 7th to post from which
W Oak 12 in deer. hms. N 49 E 13 the dist.; va,
Do. 8 " " " S 85 W 28 " "
79.00 To a Prairie
80.00 Set a post on of sw. 21 22 27 128 from which
W Oak 10 in deer. hms. N 33 W 229 the dist.; va,
W Oak 8 " " " N 73 W 306 " "
Land 2nd date

East On a line between lat. 22 27 T. 10. N. R. 8. 7. 2nd M. S. S.
37.00 Leave Prairie. T. 10 50
40.00 Set a 7th to post
79.61 On a line between lat. 22 27 T. 10. N. R. 8. 7. 2nd M. S. S.
of sw. 22, 23, 26 27
Land 2nd date;

West On a line between lat. 22 27 T. 10. N. R. 8. 7. 2nd M. S. S.
39.80 Set a 7th to post at the av. dist. on the line
from which W Oak 12 in deer. hms. S 62 W 83 the dist.
under a W Oak 20 " " " S 11 E 83 " "
79.61 To the post on of sw. 21 22 27 128.

With Return for 21 22 T. 10. N. R. 8. 7. 2nd M. S. S. Sta. 50 1815
40.00 Leave Prairie. T. 7 110
40.00 Set a 7th to post from which
W Oak 18 in deer. hms. S 3 W 31 the dist.; va,
Do. 36 " " " N 7 E 53 " "
43.00 To a Prairie.
80.00 Set a post for the cor. of sw. 15. 16. 21. 22 from which
W Oak 24 in deer. hms. West 236 the dist.; va,
Do. N " " " N 44 W 290 " "
Land 2nd date.

163

T. N. 10. N. 8. W. 2nd M. Ind.

East On a line between Lat. 15° 22' T. 10. N. 8. W.
 40.00 Set a temp. 1/4 in sap at 7. 10° 50'
 60.00 Leave prairie
 80.09 Enter lat the N. 8. W. line 2 1/2 the North of the post on of
 14. 15 22 & 23.
 Same 2nd rate.

West On the line between Lat. 15° 22' T. 10. N. 8. W.
 40.04 Set the temp. 1/4 in sap at the ar duct on the line
 from which W. 12 in dist. from. N. 57 E. 19 8 the dist.
 80.09 To the post on of sw. 15. 16 21. 22

North Return Lat. 15° 16' T. 10. N. 8. W. 7. 10° 50'
 35.00 Leave the prairie
 40.00 Set a 1/4 in sap at from which
 West 18 in dist. from. 172 W. 36 the dist; 70,
 Black. 30 " " " 86 E. 27 " "
 60.00 Leave prairie
 80.00 Set a post. for the cor of sw. 9. 10. 15 16. from which
 W. 24 in dist. from. N. 8 W 9 2 the dist; 70,
 West 12 " " " N. 78 E. 79 " "
 Can a best 2nd rate.

East On a line between Lat. 10° 43' T. 10. N. 8. W.
 30.00 Leave prairie
 40.00 Set a temp. 1/4 in sap at in prairie.
 60.00 Leave prairie
 79.52 Enter lat the N. 8. W. line 45 the North of the post on of sw.
 10. 11. 14 & 15.
 Same do same.

West On the line between Lat. 10° 43' T. 10. N. 8. W.
 39.76 Set the temp. 1/4 in sap at the ar duct on the line (but from
 2nd dist. No bearing.
 79.52 To the post on of sw. 9. 10 15 16.

T. N^o 10. NR. N^o 8 W 2nd. 1st M. S. 1st.

| | |
|-------|--|
| North | Between lat. 9 & 10 T. 10 NR. 8 W. V. 6° 50' |
| 34.00 | To a Prairie. |
| 40.00 | Set a 7 th sap post in prairie |
| 46.00 | Leave the prairie. |
| 80.00 | Set apart for the cor. off sec. 34. 9 & 10 from which a Neat's line runs. S 67 W. 83 the met. 70, Black 81, " " N 6 E 53, " " Land 2 nd rate. |
| East | On a Run from line between lat. 3 & 4 T. 10. NR. 8 W. |
| 40.00 | Set a temp. 7 th sap post V. 6° 50' |
| 79.30 | Enter east the NW 1/4 line 35 the North of the post cor of Sec. 2, 3, 10 & 11. Land 2 nd rate |
| West | On the line between lat. 3 & 4 T. 10. NR. 8 W. |
| 39.65 | Set the temp. 7 th sap post at the corner on the line from which a Black 40 in dist. runs S 69 W. 37 the dist. and a w. Loc. 4, " " N 82 E. 30, " " |
| 79.30 | To the post cor of sec. 3, 4, 9 & 10. |
| North | Between lat. 3 & 4, T. 10 NR. 8 W. V. 6° 20' |
| 9.00 | To a Prairie. |
| 40.00 | Set a 7 th sap post in prairie. |
| 80.76 | Enter east the NW 1/4 line 35 the East of the post cor. of sec. 33 & 34 T. 11 NR. 8 W. and set a post cor of sec. 3 & 4 from which Black 12 in dist. runs. N 84 W. 286 the met. |
| South | On a Run from line between lat. 32 & 33 T. 10. NR. 8 W. |
| 40.00 | Set a temp. 7 th sap post |
| 70.00 | Leave prairie. 6 th mile, corner E. |
| 81.25 | Enter east the NW 1/4 line 35 the East of the post cor of sec. 32 & 33 Land same as last mile. |

T. N. 11. N. R. No. 877 Quad. Min. Ind.

165

North On the line between Sec. 32 & 33. T. 10. N. R. 8. W. v. 7. 00'
40.61 Set the trap 7 1/2 to 8 ft at the av. dist on the line
from white Maple. 12 in diam. 938 E. 8 the dist;
made a. Heels 10, " " N 21 E. 22, "
81.23 To the foot of Sec. 28, 29, 32 & 33.

West Between Sec. 28 & 33. T. 10. N. R. 8. W. v. 7. 00'
28.00 To a Brook. 10 the dist.
40.00 Set a 7 1/2 to 8 ft from white
Oak. 14 in diam. N 9 W. 29 the dist; v. a.
Lo. 14 " " S 35 W. 24, "
49.00 To a Brook. 8 the mid. course S.
60.00 Set a post on the av. of Sec. 28, 29, 32 & 33 from white
Maple. 24 in diam. N 63 W. 19 the dist; v. a.
Oak. 30 " " S 47 E. 27, "
Land of a middling quality. Timber Oak & Maple.

North Between Sec. 28 & 29. T. 10. N. R. 8. W.
20.00 To a Brook. 10 the dist. lower S.
40.00 Set a 7 1/2 to 8 ft from white
Oak. 8 in diam. N 11 E. 50 the dist; v. a.
Lump. 10 " " S 48 W. 32, "
80.00 Set a post for the av. of Sec. 20, 21, 28 & 29 from white
Oak. 14 in diam. S 43 W. 4 the dist; v. a.
Lo. 9, " " N 54 E. 66, "
Land of a middling quality. Timber Oak & Maple.

East On a line between Sec. 21 & 28. T. 10. N. R. 8. W.
40.00 To a Brook. 10 the mid. course S.
40.00 Set a trap 7 1/2 to 8 ft
49.90 Set a post on the av. of Sec. 21, 22, 27 & 28
Land of a middling quality. Timber Oak & Maple.

West On a line between Sec. 21 & 28. T. 10. N. R. 8. W.
39.95 Set the trap 7 1/2 to 8 ft at the av. dist on the line.

T. N. 10. N. R. S. 8 W. 2. " " (Mu. Land)

from which Lycopodium 9 in diam. hms. South. 18 lbs dish
under which 9 " " " N 13 W. 24 " "
79.90 Look post cor of sec. 20 21 28 & 29.

South On a River line between Sec. 20 & 21. T. 10. N. R. 8 W.
40.00 Set a trap 7 1/2 ft. apart V. 7.00
60.00 Look Brook. 10 lbs. sides. lower S.E.
80.75 Look at the E & W line. 38th West of the corner of sec.
20 21 28 & 29
Sand hill and 3rd rate; Lumber Oak sticks

North On the line between Sec. 20 & 21. T. 10. N. R. 8 W.
40.38 Set the trap 7 1/2 ft. apart at the creek on the line from
which a stick 12 in diam. hms. S 63 E. 60 lbs dish; S
" 10 11 " " S 6 W. 67 " "
80.76 Look post cor of sec. 16 17 20 & 21.

West Between Sec. 16 & 21. T. 10. N. R. 8 W.
10.00 Enter prairie.
40.00 Set a trap 7 ft. apart from which
stick 18 in diam. hms. S 13 W. 348 lbs dish;
80.00 Set a post for the cor of sec. 16 17 20 & 21. from which
stick 30 in diam. hms. S 13 E. 157 lbs dish; S
" 24 " " S 10 W. 113 " "
Lumber 3rd rate prairie

South On a River line between Sec. 16 & 17. T. 10. N. R. 8 W.
13.00 Leave prairie V. 5.50
40.00 Set a trap 7 1/2 ft. apart.
80.25 Look at the East & West line. 4 lbs West of the post
cor of sec. 16 17 20 & 21.

North On the line between Sec. 16 & 17. T. 10. N. R. 8 W.
40.12 Set the trap 7 1/2 ft. apart at the creek on the line
from which a stick 30 in diam. hms. S 43 E. 50 lbs dish
under 10. 24 " " S 10 W. 33 " "

167

T. N. 10. N. R. N. 8 W 2nd. Mo. Sec.

| | |
|-------|---|
| 80.25 | To the post cor of sec 8. 9. 16 & 17. |
| West | Between sec 9 & 16. T. 10. N. R. 8 W. P. 6-50' |
| 40.00 | Set a 1/4 sa post in prairie. |
| 80.00 | " " post in the prairie for the cor of sec. 8. 9. 16 & 17 Land not prairie |
| North | Between sec 8 & 9 T. 10. N. R. 8 W. |
| 40.00 | Set a 1/4 sa post from which |
| | Measure 20 in diam. N 69 W 172 the dist. |
| 80.00 | Set a post in prairie cor of sec 4. 5. 8 & 9 from which W Oak 24 in diam. West 377 the dist. Land 3rd rate prairie. |
| East | On a line from between sec 4 & 9 T. 10. N. R. 8 W |
| 5.00 | Enter woods |
| 40.00 | Set a line post 1/4 sa post |
| 80.83 | Enter at the N E cor 12 hrs north of the post cor of sec 3. 4. 9 & 10. Land 3rd rate Timber Oak & hick |
| West | On a line from between sec 4 & 9. T. 10. N. R. 8 W. |
| 40.41 | Set the line post 1/4 sa post at the end of the line from which B Oak 12 in diam. N 74 E. 15 the dist and a J Oak 9 " " " N 59 W. 18 " " |
| 80.83 | To the post cor of sec. 4. 5. 8 & 9. |
| North | Between sec 4 & 5 T. 10. N. R. 8 W |
| 40.00 | Set a 1/4 sa post. from which P Oak 12 in diam. N 66 W 334 the dist. |
| 55.00 | Enter woods |
| 80.83 | Enter at the N corner 122 hrs West of the post cor of sec 32 & 33 T. 11. N. R. 8 W. at a P Oak 15 in diam which stands for the cor of sec 4 & 5. Land 3rd rate prairie |

J. N. 10. N. N. N. 8th 9th 10th. Ind.

South Open Random line between Lat. 31° 32' J. 10. N. N. 8th
 40.00 Set a trap 7 ft. apart N. 15° 50'
 80.65 Enter cut the South Random 9th East of the post on of
 Sep 31° 32'
 Second level Lumballak & Meigs

North Return Lat. 31° 32' J. 10. N. N. 8th
 40.30 Set the trap 7 ft. apart at the av. cut on the line from
 which W. Oak 20 in diam. trees. N 69 E. 33th inch;
 under No. 27, " " N 62 W. 55, "
 80.65 Set the post on of Lat. 29° 30' 31° 32'

West Return Lat. 29° 32' J. 10. N. N. 8th
 40.00 Set a 1/4 to post from which
 W. Oak 12 in diam. trees. N 49 E. 60 th inch, & a
 No. 24, " " N 62 W. 58, "
 55.00 Enter a Prairie.
 50.00 Set a post for the av. of Lat. 29° 30' 31° 32' from which
 W. Oak 10 in diam. trees. N 79 W. 285 th inch.
 Second level.

West Return Lat. 30° 31' J. 10. N. N. 8th N. 7° 00'
 30.00 Enter a Prairie.
 40.00 Set a 7th to post in Prairie N. 60° 00' W.
 50.00 Crossed the Prairie
 75.65 Enter cut the West Random 40th South of the post on
 of Lat. 25° 36' J. 10. N. N. 9th and set a post for the av.
 " " 30° 31' from which
 W. Oak 24 in diam. trees. N 7° E. 47 th inch, & a
 W. Oak 30 " " " N 26 E. 129, "
 Second level as last note.

North Return Lat. 29° 32' J. 10. N. N. 8th N. 7° 00'
 15.00 Crossed Prairie
 40.00 Set a 7th to post from which a
 W. Oak 15 in diam. trees. N 75 W. 35 th inch, & a

169

T. No 10. N. R. No 877 Quad (Mm. Ind.:

| | |
|----------------------------------|---|
| 80.00 | W Oak 14 in deer beams. N 21 E 50 the arch Set a post for the corner of lot 19, 20, 29, & 30 from which W Oak 18 in deer beams. N 30 W 13 the arch; & a No. 15 " " S 43 E 40 " " Sund do same. |
| East 40.00 80.25 | On a Random line between lot 20 & 29 T. 10. N. R. 87 W Set a trip. 1/4 in a post Intersect the N 35 W line 25 the South of the portion of lot 20, 21, 28 & 29. Sund do same. |
| West 40.10 80.25 | On the true line between lot 20 & 29 T. 10. N. R. 87 W Set the trip. 1/4 in a post from which (as dist. true line) R. 12 in deer beams. S 15 W 22 the arch; & a, R Oak 27. " " N 31 E 44 " " Set the post corner of lot 19, 20, 29 & 30. |
| West 40.00 65.00 75.36 | Return lot 29 & 30 T. 10. N. R. 87 W. Set a 1/4 in a post from which W Oak 18 in deer beams. S 15 W 44 the arch; & a, N 15 W 18 " " N 64 E 34 " " Enter a prairie. Intersect the West Boundary 16 the North of the post corner of lot 24 & 25 T. 10. N. R. 9 W and set a post corner of lot 19 & 30. Sund here Limits Oak & Walnut Sund 3rd rate. |
| North 25.00 40.00 80.00 | Return lot 19 & 20 T. 10. N. R. 87 W Enter prairie Set a 1/4 in a post in prairie No bearing true. Set a post for the corner of lot 17, 18, 19 & 20 in prairie. No bearing true. Sund a 3rd rate. |
| East 12.00 | On a Random line between lot 17 & 20 T. 10. N. R. 87 W Crossed the prairie. |

T. N. 10. N. R. 10. 87 N. 2. 11. (Mr. Ind.)

40.00 Set a trap 1/4 to post
 79.87 Set out the NTS line at the post on of Dec 16. 17. 20. 21.
 Land 3rd rate: Timber Oak & Hick 1

West On the line between Sec. 17 & 20 T. 10. N. R. 8. W.
 39.95 Set the trap 1/4 to post at the end of the line from
 which Black 36 in diam. bears N 76 E. 35 the inch. &
 to, No 40, " " " N 97 E. 57. "
 79.87 To the post on of Dec. 17. 18. 19. 20.

West Return Sec 18 & 19 T. 10. N. R. 8. W.
 40.00 Set a 1/4 to post (from which) no bearing true
 55.00 Crossed the prairie
 74.93 Set out the NTS line & West Corner N. 75 the South of
 the post on of Dec. 13 & 24 T. 10. N. R. 9. W. and set a post
 crosser: 18 & 19 from which
 Black 24 in diam. bears N 59 E. 59 the inch, to,
 W Oak 24 " " " N 48 E. 31 " "

North On a line between Sec 16 & 17 T. 10. N. R. 8. W.
 40.00 Set a 1/4 to post in prairie from which
 Hick 17 in diam. bears S 7 E. 220 the inch,
 50.00 Leave prairie.
 80.00 Set a post for the corner of Sec. 7 & 8. 17 & 18 from which
 Hick 14 in diam. bears N 69 E. 21 the inch, to,
 B Oak 18 " " " S 26 E. 63. "
 Land 2nd rate. Dec. 2. 3. 18. 15. V. 7. 00

East On a line between Sec. 8 & 9 T. 10. N. R. 8. W.
 40.00 Set a trap 1/4 to post V. 7. 50
 68.00 To prairie.
 79.00 Set out the NTS line 69 the South of the post on of
 Dec. 8. 9. 16. 17
 Small prairie & barrens 2nd rate.

West On a line between Sec. 8 & 9 T. 10. N. R. 8. W.

T. N. 11. N. 87. 2nd. M. S. 171

| | |
|-------|--|
| 39.50 | Set the temp. 1/4 in a post at the ar. ditch on the New line from which N. B. Oak. 30 in diam. trees. S. 10 E. 21 the arch; 50, L. 18 " " " S. 85 W. 141 " " |
| 77.00 | Set the post on line. 78. 17. + 18. |
| West | Between S. 7 + 18 T. 10. N. 87. 2nd. M. S. 171 |
| 40.00 | Set a 1/4 in a post from which N. B. Oak. 15 in diam. trees. S. 10 E. 11 the arch; 50, L. 12 " " " S. 85 W. 50 " " |
| 74.81 | Inter cut the West from S. 17 14 the South of the post on of S. 12 + 13 T. 10. N. 87. 2nd. M. S. 171 and set a post for the ar. of S. 7 + 18 from which N. B. Oak. 15 in diam. trees. S. 27 E. 59 the arch; 50, L. 8 " " " S. 55 E. 71 " " Sound 2nd rate; Line to West B. Oak. |
| North | Between S. 7 + 8 T. 10. N. 87. 2nd. M. S. 171 |
| 40.00 | Set a 1/4 in a post. from which N. B. Oak. 15 in diam. trees. S. 8 W. 37 the arch; 50, L. 15 " " " S. 16 W. 47 " " |
| 80.00 | Set a post for the ar. of S. 5. 6. 7 + 8 from which N. B. Oak. 15 in diam. trees. S. 23 E. 26 the arch; 50, L. 18 " " " S. 37 W. 50 " " Sound 2nd rate. |
| East | On the same line between S. 5 + 8 T. 10. N. 87. 2nd. M. S. 171 |
| 40.00 | Set a temp. 1/4 in a post |
| 77.00 | So a Prairie. |
| 79.09 | Inter cut the N. 85 from 22 the South of the post on of S. 4. 58 + 9 of Sound 2nd rate. |
| West | On the same line between S. 5 + 8 T. 10. N. 87. 2nd. M. S. 171 |
| 39.54 | Set the temp. 1/4 in a post at the ar. ditch on the New line from which N. B. Oak. 12 in diam. trees. S. 30 E. 26 the arch; and a L. 12 " " " S. 33 W. 39 " " |

T. N. 10 N. 8W 2nd Mer. Sec.

79.09 To the post on of sw. 56.788

West Return Sec. 647 T. 10 N. 8W

40.00 Set a 1/2 post from which
W Oak. 36 in diam. bears S 87 W. 50 the ash, &c.,
Do. 40 " " " N 6 E. 66 " "

74.45 Intersect the West Bound. 1/2 1/2 the North of the post on
of sw. 1412 T. 10 N. 9 W and set a post for the cor off
" 647 from which

W Oak. 12 in diam. bears N 31 W. 83 the ash, &c.,
Do. 12 " " " N 10 E. 82 " "
Sands Secs. Intersect W Oak & Hick.

North Return Sec. 576 T. 10 N. 8W N. 7° 00'

40.00 Set a 1/2 post from which
W Oak. 18 in diam. bears S 29 W. 13 the ash, &c.,
Do. 18 " " " S 6 E. 63 " "

81.57 Intersect the N Bound. 1/2 1/2 the West of the post on off
sw. 31 & 32 T. 11 N. 8W and set a post for the cor off
576 from which

W Oak. 21 in diam. bears N 62 E. 43 the ash, &c.,
Do. 18 " " " N 5 W. 40 " "
Sands hilly 12th rate Intersect W Oak

Surveyed by
William Harris D.S.

I certify the foregoing Transcript of the field notes
of Township N. 10 North of Range N. 8 West of
the 2nd Mer. Indiana, has been compared with
the Original notes in this Office and found to
be correct

Surveyor General's Office
Cincinnati July 19. 1841

W. H. Harris
Sgt. B